

Contents of *Animal Feed Science and Technology*, Volume 85

VOL. 85 NOS. 1–2

30 MAY 2000

Review Articles

- Microbial protein supply from the rumen
R.J. Dewhurst, D.R. Davies and R.J. Merry (Aberystwyth, UK) 1
- Alternative home-grown protein sources for ruminants in the United Kingdom
R.J. Wilkins (Okehampton, UK) and R. Jones (Aberystwyth, UK). 23
- Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat
P.C. Garnsworthy and J. Wiseman (Loughborough, UK) 33
- Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs
A. Machmüller, D.A. Ossowski and M. Kreuzer (Zurich, Switzerland) 41
- Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions
C. Maaroufi (Paris, France), J.-P. Melcion, F. de Monredon, B. Giboulot, D. Guibert (Nantes, France) and M.-P. Le Guen (Paris, France) 61
- Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies
B.M.L. McLean (Midlothian, UK and Aberystwyth, UK), J.J. Hyslop (Midlothian, UK), A.C. Longland (Aberystwyth, UK), D. Cuddeford (Midlothian, UK) and T. Hollands (Northamptonshire, UK) 79
- Nutritive evaluation of some Acacia tree leaves from Kenya
S.A. Abdulrazak (Shimane, Japan and Njoro, Kenya), T. Fujihara (Shimane, Japan), J.K. Ondiek (Njoro, Kenya) and E.R. rskov (Aberdeen, UK) 89
- Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility
E.M. Aregheore (Warri, Nigeria). 99
- Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs
N. Mabon (Gembloux, Belgium), S.N.M. Mandiki, G. Derycke, J.-L. Bister (Namur, Belgium), J.-P. Wathelet, M. Marlier (Gembloux, Belgium) and R. Paquay (Namur, Belgium). 111

Short communications

- Composition and digestibility of beet pulp with and without molasses and dried using three methods
J.G. Fadel, E.J. DePeters and A. Arosemena (Davis, CA, USA) 121
- Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep
G. Sreerangaraju, U. Krishnamoorthy and M.M. Kailas (Bangalore, India) 131

Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose G.H.P. Vissia and A.C. Beynen (Utrecht, The Netherlands)	139
A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens D.J. Farrell (St Lucia, Qld., Australia and Alexandra Hills, Qld., Australia), H. Jibril (St Lucia, Qld., Australia), R.A. Perez-Maldonado and P.F. Mannion (Alexandra Hills, Qld., Australia)	145

VOL. 85 NOS. 3-4

30 JUNE 2000

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique H.-R. Wettstein, A. Machmüller and M. Kreuzer (Zurich, Switzerland)	153
The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates A.S. Hussein (Al-Ain, United Arab Emirates)	171
The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value I. Ouhida, J.F. Pérez, J. Piedrafita and J. Gasà (Barcelona, Spain).	183
Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures S. Shannak, K.-H. Südekum and A. Susenbeth (Kiel, Germany)	195
In vitro digestion studies using ¹⁴ C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass <i>Panicum maximum</i> R.J. Jones and B. Palmer (Aitkenvale, Australia)	215
Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake I.V. Nsahlai, P.O. Osuji and N.N. Umunna (Addis Ababa, Ethiopia)	223
Supplementation of graded levels of <i>Desmodium intortum</i> hay to sheep feeding on maize stover harvested at three stages of maturity. I. Feed intake, digestibility and body weight change A. Tolera (Awassa, Ethiopia and Aas, Norway) and F. Sundstøl (Aas, Norway)	239
The effect of PEG addition in vitro on dry matter and nitrogen digestibility of <i>Calliandra calothyrsus</i> and <i>Leucaena leucocephala</i> leaf B. Palmer and R.J. Jones (Aitkenvale, Australia)	259

Short communications

An approach to screening potential pasture species for condensed tannin activity R.J. Jones (Aitkenvale, Australia), J.H.F. Meyer, M. Bechaz and M.A. Stoltz (Lynn East, South Africa)	269
Influence of alkaloid content on intake of subspecies of <i>Chamaecytisus proliferus</i> M.R. Ventura, J.I.R. Castanon (Arucas, Spain), M. Muzquiz (Madrid, Spain), P. Mendez (Tenerife, Spain) and M.P. Flores (Arucas, Spain)	279

Book review	283
-----------------------	-----

Contents of <i>Animal Feed Science and Technology</i> , Volume 85	285
---	-----

